

# SoupBinTCP Specification (All Markets)

Version 1.00

## **DISCLAIMER**

© 2025 Japannexts Co., Ltd. All rights reserved. The material provided herein is for informational purposes only. Japannexts Co., Ltd. reserves the right to revise the document and to make changes without notice. Japannexts Co., Ltd. has no responsibilities or warranties and excludes all liability (including for negligence) in relation to the present material to the extent allowed by applicable laws.

1	Introduction.....	3
2	Overview .....	3
	2.1 Network Stack .....	3
	2.2 Core Features .....	3
3	Logical Packets .....	3
4	Protocol Flow .....	4
	4.1 Session Established .....	4
	4.2 Sequence Maintained .....	4
	4.3 Heartbeats Sent .....	4
	4.4 Session Terminated .....	4
5	SoupBinTCP Packet Types .....	5
	5.1 Debug Packet .....	5
	5.2 Logical Packets Sent by SoupBinTCP Server .....	5
	5.2.1 Login Accepted Packet .....	5
	5.2.2 Login Rejected Packet .....	5
	5.2.3 Sequenced Data Packet .....	6
	5.2.4 Server Heartbeat Packet.....	6
	5.2.5 End of Session Packet .....	6
	5.3 Logical Packets Sent by SoupBinTCP Client .....	7
	5.3.1 Login Request Packet.....	7
	5.3.2 Unsequenced Data Packets .....	7
	5.3.3 Client Heartbeat Packets .....	7
	5.3.4 Logout Request Packet .....	8
6	Revision History.....	9

# 1 Introduction

---

This document explains access to the **trading services** of Japannexts **PTS** via the **SoupBinTCP** protocol. It provides an overview of the protocol and describes the packet types.

For further information and inquiries regarding trading services, and for questions concerning connectivity, contact Japannexts Technical Support at [ito@Japannexts.co.jp](mailto:ito@Japannexts.co.jp).

# 2 Overview

---

SoupBinTCP is a lightweight, point-to-point, binary messaging protocol for **guaranteed real-time delivery** of **server-to-client sequenced messages**. SoupBinTCP is widely used by financial institutions in low-latency **order entry gateways** and for low-latency **market data feeds**.

## 2.1 Network Stack

SoupBinTCP serves as the point-to-point transport layer for higher-level protocols such as **ITCH** and **OUCH**. In turn, SoupBinTCP uses **TCP** as its transport protocol (**Figure 1**).



Figure 1 - SoupBinTCP stack

## 2.2 Core Features

Core design features of SoupBinTCP are as follows:

- Guaranteed delivery of sequenced messages in the order generated by the server.
- Recovery following a TCP/IP socket connection failure.
- Session management through login, logout, and heartbeat packets.
- Binary format with single-byte text fields not limited to printable ASCII characters.

**Note:** SoupBinTCP also supports client-to-server messaging but does not guarantee message delivery in the event of TCP/IP socket connection failure.

# 3 Logical Packets

---

SoupBinTCP communication is through the exchange of **logical packets**, each encapsulating a **single protocol message**. Note, however, that SoupBinTCP packets do not map directly to transport layer packets.

Each SoupBinTCP logical packet is structured as follows:

Field	Description
<b>Length</b>	Two bytes, big endian; denotes total packet length excluding this field.
<b>Packet Type</b>	Single-byte header; denotes packet type.
<b>Data Payload</b>	Variable length, depends on packet type; no maximum value.

## 4 Protocol Flow

---

### 4.1 Session Established

1. Client opens TCP/IP socket to server.
2. Client sends **Login Request Packet**.
3. If login validation is successful, server responds with **Login Accepted Packet**.
4. Server starts sending **Sequenced Data Packets**. The connection persists until the TCP/IP socket is broken or terminated.

### 4.2 Sequence Maintained

Sequence numbers are used to keep track of **Sequenced Data Packets**. Note, however, that the only packet to explicitly specify a sequence number is the **Login Accepted Packet**. The sequence number for subsequent packets is calculated by the client and server counting each sent and received message and incrementing a local copy of the sequence number.

**Note:** The first sequenced message in each session always has a sequence number of **1**, which the client increments with each new **Sequenced Data Packet** received.

In the event of a connection failure, the client is able to resume reception of sequenced messages by reconnecting to the server and specifying the following in the **Login Request Packet**:

- Session (**Requested Session** field)
- Next desired sequence number (**Requested Sequence Number** field), which is determined by referencing the maintained sequence number.

### 4.3 Heartbeats Sent

SoupBinTCP uses heartbeat packets to detect link failures. Both the server and the client send a heartbeat packet to each other when more than **1 second** has elapsed since the last data transmission.

If the client receives no packets of any type for a given period, the TCP/IP connection can be considered down, and accordingly, the client can attempt to reconnect to the server. Likewise, if the server has received no client packets for a given time, it can close the existing socket and continue to listen for a new connection.

**Note:** The current timeout value for assuming a connection failure is **15 seconds**.

### 4.4 Session Terminated

When the server has no further messages to send, it terminates the current session by sending a final **End of Session Message**.

## 5 SoupBinTCP Packet Types

### 5.1 Debug Packet

Debug packets provide human-readable text for troubleshooting purposes. Either side of a SoupBinTCP connection can send a debug packet at any time but should avoid processing the packet.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'+'	Debug Packet
<b>Text</b>	3	Variable	Alphanumeric	Human-readable text.

### 5.2 Logical Packets Sent by SoupBinTCP Server

#### 5.2.1 Login Accepted Packet

The SoupBinTCP server sends a **Login Accepted Packet** in response to a valid **Login Request Packet** received from the client. Always the first non-debug packet sent by the server after a successful login request.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'A'	Login Accepted Packet
<b>Session</b>	3	10	Alphanumeric	Session ID of current session; left-padded with spaces.
<b>Sequence Number</b>	13	20	Numeric	Sequence number (ASCII) of next Sequenced Message to be sent; left-padded with spaces.

#### 5.2.2 Login Rejected Packet

The SoupBinTCP server sends this packet in response to an invalid **Login Request Packet** from the client and then closes the socket connection. Note that the **Login Rejected Packet** is the only non-debug packet sent by the server in the case of an unsuccessful login attempt.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'J'	Login Rejected Packet
<b>Reject Reason Code</b>	3	1	Alpha	See <b>Table 1</b> below.

Table 1 - Login reject codes

Code	Explanation
<b>A</b>	<b>Not authorized.</b> The Login Request Packet contained an invalid Username and Password combination, or the specified TCP port did not correspond with Username. <sup>1</sup>
<b>S</b>	<b>Session not available.</b> The Login Request Packet contained an invalid or unavailable Requested Session.

<sup>1</sup> Japannexts assigns each user a unique username and a corresponding port number—which must be used together in a SoupBinTCP session. This is relevant to clients who have been assigned multiple port numbers (due to having multiple SoupBinTCP users). In such a scenario, it's not possible to mix-and-match Usernames and port numbers.

### 5.2.3 Sequenced Data Packet

**Sequenced Data Packets** encapsulate server-to-client sequenced messages, with one message per packet.

**Note:** SoupBinTCP packets depend on open TCP/IP sockets for successful delivery. In the event of a TCP/IP socket connection failure, the SoupBinTCP client can resume reception of sequenced messages by reconnecting to the server and specifying the session and the next desired sequence number (or **'0'** for the most recently generated message).

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'S'	Sequenced Data Packed
<b>Message</b>	3	Variable	Any	Defined by a higher-level protocol.

### 5.2.4 Server Heartbeat Packet

The server should send a **Server Heartbeat Packet** whenever more than **1 second** has elapsed since its last data transmission. Accordingly, if the client does not receive any packets for a given time, it can assume a lost TCP/IP connection and attempt to reconnect to the server.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'H'	Server Heartbeat Packet

### 5.2.5 End of Session Packet

When the server has no further messages to send, it terminates the current session by sending a final **End of Session Message**. Thereafter, the connection is closed.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'Z'	End of Session Packet

## 5.3 Logical Packets Sent by SoupBinTCP Client

### 5.3.1 Login Request Packet

The SoupBinTCP client must send a **Login Request Packet** immediately after establishing a new TCP/IP socket connection to the SoupBinTCP server. If the server does not receive a **Login Request Packet** within a reasonable time (typically **30 seconds**), it can terminate the incoming TCP/IP socket connection.

**Note:** Username and password credentials enable basic authentication that prevents the client from erroneously connecting to an unintended server.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'L'	Login Request Packet
<b>Username</b>	3	6	Alphanumeric	Username; case-sensitive, right-padded with spaces.
<b>Password</b>	9	10	Alphanumeric	Password; case-sensitive, right-padded with spaces.
<b>Requested Session</b>	19	10	Alphanumeric	Session to log in to, or blank to log in to the currently active session; left-padded with spaces.
<b>Requested Sequence Number</b>	29	20	Numeric	Sequence number (ASCII) of next Sequenced Message to be sent, or 0 to for the most recently generated message; left-padded with spaces.

### 5.3.2 Unsequenced Data Packets

**Unsequenced Data Packets** encapsulate client-to-server messages, with one message per packet. Since these messages are not sequenced, a TCP/IP socket connection failure will render them unrecoverable. Therefore, the higher-level protocol should have sufficient provisions to deal with such a scenario.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'U'	Unsequenced Data Packet
<b>Message</b>	3	Variable	Any	Defined by higher-level protocol.

### 5.3.3 Client Heartbeat Packets

The client should send a **Client Heartbeat Packet** whenever more than **1 second** has elapsed since its last data transmission. Accordingly, if the server does not receive any client packets for a given time, it can assume a lost TCP/IP connection, close the existing socket, and continue to listen for a new connection.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Integer	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'R'	Client Heartbeat Packet

### 5.3.4 Logout Request Packet

The client sends a **Logout Request Packet** to the server to request connection termination. Upon receipt, the server terminates the connection and closes the associated TCP/IP socket.

Name	Offset	Length	Value	Notes
<b>Packet Length</b>	0	2	Binary	Number of bytes after this field until next packet.
<b>Packet Type</b>	2	1	'0'	Logout Request Packet

## 6 Revision History

---

Date	Version	Description
2025-09-08	1.00	Initial version.